

digiTHIN Q



SIMPLE, STUNNING, SLIM, CURVABLE





Zero Installation Damage

Traditional methods of installing heavy cabinets inevitably lead to damage. But with digiTHIN Q, it is designed so the light LED tiles (just 400g each) are mounted last, therefore eradicating collision damage.



A Stunning Screen

digiTHIN's unique direct wall-mounting Z-axis adjustment ensures a perfectly soFLAT® display, to give a superb, totally flat, wide-angle viewing experience even on uneven walls.



Concave Curving

Create a concave curving LED display. digiTHIN Q's unique 'push me, pull you' feature keeps the spaces between panels accurate. No need for additional accessories. Create fantastic, seamless, faceted curves.




Ease of Maintenance

A key feature of usability. With an LED tile taking all of 10 seconds to swap, cable-free connection and every component easily accessible, digiTHIN is a system that can be maintained by anyone.



Reduced Installation Costs

With no expensive sub-frame required, due to direct wall mounting, digiTHIN is quick and easy to install. Most HD installations take less than one day.



A Sound Investment

With a potential lifetime of over 10 years, LED screens make a fantastic investment when compared to other display technology. Bigger, brighter, offering more impact and greater reliability.




5 Year Warranty

As with all digiLED Premium products, VISION A comes with a 5 year warranty. Contact your local Service Lab via online RMA for our renowned fast turnaround.

FEATURES

soFLAT® Screen Technology

Each digiTHIN Q LED chassis has 4 independent, unique z adjustment screws that enable the front surface of the screen to be adjusted, for a truly level and flat surface. Eliminating any off-angle lines and steps gives an incredibly uniform image across the whole surface.




Orientation Options


There are three chassis sizes available for digiTHIN Q, these are 500mm x 250mm, 750mm x 250mm and 1000mm x 250mm. Each chassis can be orientated to either landscape or portrait, giving you a wide array of options for your LED display.

FIXING ORIENTATION OPTIONS

LANDSCAPE




PORTRAIT




LED PANEL INFORMATION










Standard single digiTHIN Q panel 750x250mm



Optional single digiTHIN Q panel 500x250mm



Optional single digiTHIN Q panel 1000x250mm





SPECIFICATIONS

INDOOR		Q1830	Q2600
Physical Pixel Pitch (HxV) mm		1.838	2.604
Pixel Resolution (Width/Height) pixels/panel		408/136	288/96
Panel Dimensions (W x H x D) mm		750 x 250 x 51	
Optional Panel Dimensions (W x H x D) mm		500 x 250 x 51 and 1000 x 250 x 51	
Standard Panel Area m ²		0.188	0.188
Standard Weight kg/m ²		29.3	
Ingress Protection (Front/Rear)		Indoor IP40/IP20	
Maintenance Access		All Front	
Standard Refresh Rate Hz		≥3,840	
Uncalibrated Brightness* nits		>1000	>1,000
Calibrated Brightness* nits		>800	>800
Input Voltage VAC/Hz		100~240/50-60	
Max Power Consumption** W/sqm		363	363
Typical Working Power Consumption** W/sqm		109	109
Operating Temperature (min/max) degC		-20/+50	
Certification		CE, (FCC, ETL, EMC, LVD, RoHS): TBC	
HDR***		(see foot note)	

All specifications are subject to change without prior notification. E&OE.

Specifications are for standard system configuration. Contact your digiLED expert for detailed specification.

*The figures shown for brightness are MCAB (maximum consolidated average brightness) measured over a 3 year period.


** The figures shown for power consumption are standard guideline figures only and based on average test laboratory conditions.

***HDR: Subject to system configuration and processing.

APPLICATION EXAMPLES

Parx Casino USA

Parx Casino USA



Victoria's Secret, Stockholm



VWT Spevco Indoor Trailer Showroom, USA





BUILT WITH PREMIUM COMPONENTS: THE HIGHEST GRADE PARTS THROUGHOUT



BACKED BY OUR OWN HIGHLY KNOWLEDGEABLE digiLED TECH HUB QC ENGINEERS, THE INDUSTRY'S LEADING QC TEAM



COMES WITH A 5 YEAR WARRANTY: TECH HUB SERVICES LOCATED in US, UK, ASIA and SOUTH AFRICA



INCLUDES AN ENHANCED & COMPREHENSIVE SPARES PACKAGE



AN APPRECIATION FOR QUALITY



BUILT IN TRUSTED, PREMIUM PARTNERS ASSEMBLY PLANTS: MONITORED AND QUALITY CONTROLLED BY digiLED TECH HUB ENGINEERS



SUBJECT TO A COMPREHENSIVE 228 STEP QC PROGRAMME FROM POINT OF ORDER RIGHT THROUGH TO HANDOVER



FULLY CERTIFIED: CE, UKCA, FCC, CCC, ETL, RoHS, LVD, EMC



OPTION: BUILT-IN digiLED's ZEUS POWER MANAGEMENT SYSTEM AT ADDITIONAL COST

Our Ethos

Our goal is to do business with suppliers and customers whose company we enjoy and whose principles and values we respect.

We endeavour to be politely firm in our beliefs and steadfastly uphold our standards by doing the job correctly to produce quality products, supplied with loving care, to customers who cherish our systems and the enthusiastic, friendly expertise we strive to provide.

We love our work and are proud of our experience and our expertise. We want to do business with people who see the benefits of what we do and appreciate our input.

digiLEDers are keen to offer advice and an insight into our specialist knowledge without demanding a commercial return, if we can't convince customers of our value, we don't deserve their patronage.

Our Products

Huge, bright, vibrant, bespoke digiLED screens are designed using premium components, by seasoned LED experts, then crafted and assembled in selected specialist factories.

Assembly, production and testing is monitored by the industry's leading QC team, using a proven 228-step manufacturing QC process, paying meticulous attention to fine detail.

The resulting digiLED screens exhibit superior images, providing reliable performance throughout the 5-year warranty period and beyond. Supported locally by experienced, qualified, field and bench engineers.

digiLED quality just lasts.



CONTACT US

LONDON

UK HEAD OFFICE

The Pixel Depot, Copse Farm, Moorhurst Lane, Beare Green, Surrey RH5 4LJ UK

tel: +44 20 7381 7840 e-mail: info@digiLED.com

 [Sales](#)  [Admin](#)  [Pixel Depot](#)  [Tech Hub](#)  [Service Lab](#)

LAS VEGAS

The Pixel Depot, 365 Pilot Road, Suite A, Las Vegas, Nevada, 89119, USA

tel: +44 20 7381 7840 e-mail: info@digiLED.com

 [Sales](#)  [Admin](#)  [Pixel Depot](#)  [Tech Hub](#)  [Service Lab](#)

DALLAS

digiLED Service Lab, 8291 Gateway Dr, Argyle, TX 76226, USA

 [Service Lab](#)

SHENZHEN

SHENZHEN DIGI TECHNOLOGY CO. LTD,




The Pixel Depot, Room 1807, Haohai Junyue Bldg, 2092 Shenyan Road, Hai Shan Street, Yantian District, Shenzhen 518000, China

 [Tech Hub](#)  [Logistics](#)  [Service Lab](#)

SALES OFFICES IN MILAN, THE HAGUE, NANTES AND TOKYO

TALK TO US AND BE SOCIAL

+44 20 7381 7840 info@digiLED.com www.digiLED.com

 [digiLED_](#)  [digiLEDscreens](#)  [digiLEDscreens](#)  [digiLED_](#)