


VISION A



HIGH BRIGHT, OUTDOOR, RUGGED & RELIABLE






Easy & Quick Installation & Maintenance

Lightweight and well designed - convenient fixing points makes installation quick and easy, saving time and expense. No need for elaborate support structures, VISION A can be installed more cost-effectively.



Intelligent Monitoring

Built-in smart chip technology monitoring your displays parameters and alert in real time via The Cloud. Control temperature, voltage, auto calibration and operating time parameters instantaneously.



Lightweight Frame

Super lightweight construction, with panel weights in the region of 25kg per sqm, reducing supporting structure costs.



Reliability

Reliable built-in electronics and attention paid to sealing and waterproofing, VISION A outperforms competitors with its impressive ingress protection from moisture, dust, and heat/cold thermal cycling.



Solid

Impact absorbing louvres, constructed from shatter resistant IAP (impact absorbing polymer), enables VISION A to withstand impact damage to the screen surface.



5 Year Warranty

As with all digiLED Premium products, VISION A comes with a 5 year warranty. Contact your local Service Lab via online RMA for our renowned fast turnaround.

- **VISION A** Features seamless corners.
- **VISION A** Features incredibly low power consumption.
- **VISION A** Features front and rear servicing for quick access.
- **VISION A** Features high brightness LEDs as standard.

FEATURES

Front or rear
maintenance access

Rear access

Front access


Impact
absorbing
louvres



Ultra high
brightness
10000nits
(subject to LED
choice)



Corner cabinet
options




OPTIONAL PANEL SIZES

OPTIONAL 750 WIDE x 500mm HIGH PANEL x 85mm DEPTH



OPTIONAL 1000 WIDE x 500mm HIGH PANEL x 85mm DEPTH




OPTIONAL 750 WIDE x 1000mm HIGH PANEL x 85mm DEPTH



OPTIONAL 90 degree MITRE (CORNER) PANEL x 85mm DEPTH



STANDARD 1000 WIDE x 1000 HIGH PANEL x 85mm DEPTH





SPECIFICATIONS

| OUTDOOR | | VISION A4810o | VISION A6940o | VISION A8330o | VISION A10o |
|-------------------------------------|-------------------|---|----------------------|----------------------|--------------------|
| Physical Pixel Pitch (HxV) | mm | 4.808 | 6.944 | 8.333 | 10.417 |
| Pixel Resolution (Width/Height) | pixels/panel | 208/208 | 144/144 | 120/120 | 96/96 |
| Panel Dimensions | (W x H x D) mm | 1000 x 1000 x 85 | | | |
| Optional Panel Sizes | (W x H) x D mm | (750 x 500, 1000 x 500, 750 x 1000) x 85 | | | |
| Optional Angled Corner Panel | | Yes (90 deg) | | | |
| Standard Panel Area | m ² | 1 | | | |
| Standard Weight | kg/m ² | 25 | | | |
| Corner Options | degrees | 90 | | | |
| Ingress Protection | (Front/Rear) | Outdoor IP65/IP65 | | | |
| Maintenance Access | | All front or all rear | | | |
| Standard Refresh Rate | Hz | ≥3,840 | | | |
| Uncalibrated Brightness* | nits | ≥5500 | ≥6000 | ≥6000 | ≥6000 |
| Calibrated Brightness* | nits | ≥4500 | ≥5500 | ≥5500 | ≥5500 |
| Input Voltage | VAC/Hz | 100~250/50-60 | | | |
| Max Power Consumption** | W/sqm | 700 | 700 | 700 | 700 |
| Typical Working Power Consumption** | W/sqm | 210 | 210 | 210 | 210 |
| Operating Temperature (min/max) | degC | -20/+55 | | | |
| Certification | | CE (IEC82368-1), FCC, ETL, EMC, LVD, RoHS | | | |
| HDR*** | | (see foot note) | | | |

All specifications are subject to change without prior notification. E&OE.

Specifications are for standard system configuration. Contact your digiLED expert for detailed specification.


*The figures shown for brightness are standard guideline figures only and based on average test laboratory conditions.

** The figures shown for power consumption are standard guideline figures only and based on average test laboratory conditions.


***HDR: Subject to system configuration and processing.

PANEL INFORMATION

STANDARD REAR & SIDE VIEWS SHOWING PANEL DIMENSIONS





FRONT & REAR VIEWS OF LED TILES



APPLICATION EXAMPLES

Arsenal FC Emirates Stadium, UK



Cinema installation



BUILT WITH PREMIUM COMPONENTS: THE HIGHEST GRADE PARTS THROUGHOUT



BACKED BY OUR OWN HIGHLY KNOWLEDGEABLE digiLED TECH HUB QC ENGINEERS, THE INDUSTRY'S LEADING QC TEAM



COMES WITH A 5 YEAR WARRANTY: TECH HUB SERVICES LOCATED in US, UK, ASIA and SOUTH AFRICA



INCLUDES AN ENHANCED & COMPREHENSIVE SPARES PACKAGE



AN APPRECIATION FOR QUALITY



BUILT IN TRUSTED, PREMIUM PARTNERS ASSEMBLY PLANTS: MONITORED AND QUALITY CONTROLLED BY digiLED TECH HUB ENGINEERS



SUBJECT TO A COMPREHENSIVE 228 STEP QC PROGRAMME FROM POINT OF ORDER RIGHT THROUGH TO HANDOVER



FULLY CERTIFIED: CE, UKCA, FCC, CCC, ETL, RoHS, LVD, EMC



OPTION: BUILT-IN digiLED's ZEUS POWER MANAGEMENT SYSTEM AT ADDITIONAL COST

Our Ethos

Our goal is to do business with suppliers and customers whose company we enjoy and whose principles and values we respect.

We endeavour to be politely firm in our beliefs and steadfastly uphold our standards by doing the job correctly to produce quality products, supplied with loving care, to customers who cherish our systems and the enthusiastic, friendly expertise we strive to provide.

We love our work and are proud of our experience and our expertise. We want to do business with people who see the benefits of what we do and appreciate our input.

digiLEDers are keen to offer advice and an insight into our specialist knowledge without demanding a commercial return, if we can't convince customers of our value, we don't deserve their patronage.

Our Products

Huge, bright, vibrant, bespoke digiLED screens are designed using premium components, by seasoned LED experts, then crafted and assembled in selected specialist factories.

Assembly, production and testing is monitored by the industry's leading QC team, using a proven 228-step manufacturing QC process, paying meticulous attention to fine detail.

The resulting digiLED screens exhibit superior images, providing reliable performance throughout the 5-year warranty period and beyond. Supported locally by experienced, qualified, field and bench engineers.

digiLED quality just lasts.



CONTACT US

LONDON

UK HEAD OFFICE

The Pixel Depot, Copse Farm, Moorhurst Lane, Beare Green, Surrey RH5 4LJ UK

tel: +44 20 7381 7840 e-mail: info@digiLED.com

 [Sales](#)  [Admin](#)  [Pixel Depot](#)  [Tech Hub](#)  [Service Lab](#)

LAS VEGAS

The Pixel Depot, 365 Pilot Road, Suite A, Las Vegas, Nevada, 89119, USA

tel: +44 20 7381 7840 e-mail: info@digiLED.com

 [Sales](#)  [Admin](#)  [Pixel Depot](#)  [Tech Hub](#)  [Service Lab](#)

DALLAS

digiLED Service Lab, 8291 Gateway Dr, Argyle, TX 76226, USA

 [Service Lab](#)

SHENZHEN

SHENZHEN DIGI TECHNOLOGY CO. LTD,




The Pixel Depot, Room 1807, Haohai Junyue Bldg, 2092 Shenyan Road, Hai Shan Street, Yantian District, Shenzhen 518000, China

 [Tech Hub](#)  [Logistics](#)  [Service Lab](#)

SALES OFFICES IN MILAN, THE HAGUE, NANTES AND TOKYO

TALK TO US AND BE SOCIAL

+44 20 7381 7840 info@digiLED.com www.digiLED.com

 [digiLED_](#)  [digiLEDscreens](#)  [digiLEDscreens](#)  [digiLED_](#)